

2024 TRADE SCOPES INDEX

INSULATION SCOPE

Page 1 of 1 Revised 2005

SUB TO MECHANICAL THROUGH BID DEPOSITORY

This tender shall include a complete installation as per plans, specifications, issued addenda and the Saskatchewan Bid Depository Rules and Regulations.

They shall **INCLUDE** the following items regardless of where they may appear in the tender documents unless specifically noted otherwise in Scope:

- 1. The insulation for:
 - a) Plumbing piping, vessels and equipment.
 - b) Heating piping, vessels and equipment.
 - c) Cooling piping, vessels and equipment.
 - d) Refrigeration vessels and equipment.
 - e) Breeching, stacks and furnace flues.
 - f) Emergency generator exhausts.
 - g) Pneumatic tubing.
 - h) Exterior insulation for incinerator breeching or stacks.
 -) Exterior duct insulation, including exterior sound insulation (e.g. Bary-Fol).
- 2. Insulation finishes and weatherproofing.
- 3. Underground insulation conduits.
- 4. Hoisting for materials and equipment under this section.
- 5. Permits as required under this section.
- 6. Inspection as required under this section.
- 7. Manufacturer's warranty only, beyond the normal one-year warranty as required under this section.
- 8. Protection of other trade's work from damage by this trade.
- 9. Trade clean up.
- 10. Insulation above radiant ceiling panels (active or non active).

They shall **EXCLUDE** the following regardless of where they may appear in the tender documents: Temporary heat, light, power (up to a maximum of 120/208 volts and an adequate amperage for temporary lighting, heating and convenience outlets, sanitation) or as specified.

- 1. Pipe covering protection saddles and shields.
- 2. Vibration and sound absorption pads and isolators.
- 3. Equipment backing.
- 4. Sleeves.
- 5. Factory insulation equipment.
- 6. Refactory linings.
- 7. Temporary heat, light, power, sanitation.
- 8. Hoarding.
- 9. Water.
- 10. Final cleaning.
- 11. Duct liner and acoustic insulation.
- 12. Fiberglass formed ductwork.
- 13. Refrigerated piping when it is elastomeric insulation only.