

# **2024 TRADE SCOPES INDEX**

## SPECIAL WALL COATINGS SCOPE Page 1 of 1 Revised 2023

Revised This contractor shall include This Trade Contractor shall bid to the General Contractor, through the Bid Depository, for the supply of materials and installation of the following items regardless of where they may appear in the tender documents unless specifically noted otherwise in this Scope.

### Revised INCLUDED:

- 1. PERMANENT TYPE COATING SYSTEMS having the following distinguishing characteristics:
  - a) Multi-coat system producing a finished dry film thickness of not less than 250 microns with or without
  - b) Obtaining special decorative features by incorporating rock aggregate, marble chips, coloured ceramic granules, sound absorbing particles, reinforcing fibre-glass, etc. except where walls are specified with floors and bases, and
  - c) All having published tests in reference to the following: incombustibility, chemical resistance, exceptional durability eliminating deterioration due to oxidation, moisture, and ultra violet exposure, abrasion resistance, elasticity, etc., and
  - d) Applied only by factory trained franchised applicators.
- 2. LISTED UNDER THIS SCOPE OF COATINGS are the following:
  - a) Epoxies 2 components, catalyst cured, minimum of 250 microns dry film thickness exclusive of filler coats.
  - b) Vinyl acrylics interior exterior textured.
  - c) Neoprene Hypalon.
  - d) Exposed aggregate coatings.
  - e) Textured coatings Inorganic Coatings with Acoustical Properties and equal to Canadina Everguard Acostek and Desco Acousticote.
  - f) Clear, natural and pigmented sealant where supplied only by franchise manufacturers.
  - g) Cementitious coatings where supplied only by franchise manufacturers.
  - h) Temporary ventilation for application of product.

### ALSO INCLUDED:

- 3. Trade clean up.
- 4. Protection of other trades work from damage by this trade.
- 5. Guarantee.
- 6. Inspection.
- 7. Shop drawings.
- 8. Scaffolding.
- 9. Hoisting.
- 10. All P.C. sums and/or contingency funds specifically called for in the Special Wall Coatings specification.

#### EXCLUDED:

Temporary heat, light, power (up to a maximum of 120/208 volts and an adequate amperage for temporary lighting, heating and convenience outlets, sanitation) or as specified.

- 1. Excluded from the above are all paint products generally sold over the counter and applied by the purchaser.
- 2. Temporary heat, light, power, sanitation.
- 3. Water.
- 4. Hoarding.
- 5. Final cleaning.